EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	24	(search\$6 (two or different or other or another) database) and index	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 12:54
L4	0	stor\$10 (new or updat \$10) (data or record) with (new or seperat \$6 or different) database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 12:56
L5	28	stor\$10 (new or updat \$10) NEAR3 (data or record) with (new or seperat\$6 or different) database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 12:56
L6	342	stor\$10 (new or updat \$10) NEAR3 (data or record) with (new or seperat\$6 or different) NEAR3 database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 12:57
L8	4	(search\$6 (two or more) database) and "707"/\$.ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 13:48
L9	15	(search\$6 (two or more or separat\$5) database) and "707"/\$. ccls.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 13:50
L10	10	(search\$6 (two or more or separat\$5) database) and "707"/\$. ccls. and (index\$10 or tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 13:51
L11	15	(search\$6 (two or more or separat\$5) database) and ((index \$10 or tree) same database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:03

L12	11	2003/0231163	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:40
L13	2	"20030231163".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:40
L14	2	"20050203937".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L15	1	"10586534"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L16	2	"6636802".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L17	4	(6636802 6985929). pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L18	2	("6477461").pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L19	2	"7318054".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L20	2	"6477461".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L21	2	"20030220735".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52

L22	1	"10586534" and "search tree data"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L23	1	"10586534" and search \$related	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L24	0	"search-related" with	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L25	0	"10586534" and "substance data" with different with specified with "search tree data"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L26	0	"10586534" and "updat \$10" data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L27	1	"10586534" and updat \$7 data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L28	1	"10586534" and (updat \$7 data) same tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L29	1	(updat\$10 data) with (individual set) with (substance data)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L30	0	(updat\$10 (map or information)) with (individual set) with (substance data)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52

L31	2	(updat\$10 (map or information)) with (individual set) with ((map)data)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L32	194	(load\$10 or search \$10) POI	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L33	741	(load\$10 or search \$10) WITH POI	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L34	0	(load\$10 or search \$10) WITH (NEW) POI with server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L35	97	(load\$10 or search \$10) WITH POI with server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L36	8	(load\$10) WITH POI with server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L37	39	(load\$10 or updat\$7) WITH POI with server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L38	0	NEW (load\$10 or updat \$7) WITH POI with server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L39	7	(download\$7 or load \$10 or updat\$7 or retriev\$10) WITH NEW NEAR5 (POI or (point of interest)) with server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52

L40	76	(download\$7 or load \$10 or updat\$7 or retriev\$10) WITH (POI or (point of interest)) with server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L41	2	"20020013658".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L42	1	"10586534" and separat\$6 with search tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L43	0	"10586534" and (without with (updat \$10 or creat\$6))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L44	1	"10586534" and (new)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L45	0	"10586534" and (updat \$10 withe search tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L46	1	"10586534" and (updat \$10 with search tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L47	0	"10586534" and (updat \$10 NEAR3 search tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L48	1	"10586534" and (updat \$10 NEAR5 search tree)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L49	0	without (updat\$10 and creat\$10) NEAR4 tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52

L50	1392	(updat\$10 and creat \$10) NEAR4 tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L51	3	without with (updat \$10 and creat\$10) NEAR4 tree	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L52	2	(("6636802") or ("6650998")).PN.	US-PGPUB; USPAT	OR	OFF	2010/02/26 14:52
L53	1	"10586534" and "search tree data"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L54	1	"10586534" and "substance data"	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L55	248	((point of interest) or POI) with updat\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L56	8	(((point of interest) or POI) with updat\$10) and tree and index\$6	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L57	144	(((point of interest) or POI or (Search NEAR2 data)) with updat\$10) and tree and index\$6 and server	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L58	3	(((point of interest) or POI) with updat\$10) and tree and index\$6 and server and version	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L59	71	(((point of interest) or POI or (Search NEAR2 data) or (substance data)) with updat\$10) and tree and index\$6 and server and version	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52

L60	1	((substance data) with updat\$10) and tree and index\$6 and server and version	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L61	2	"20020013658".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L62	2	"20030028316".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L63	2	"20020091485".pn.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L64	0	"701"/\$.ccls. and (tree same index\$10) with list same (poi or (map data) or (substance data))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L65	5	"701"/\$.ccls. and (tree same index\$10) with list	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L66	12	"701"/\$.ccls. and (tree and index\$10) with (new or updat\$6 or seperat\$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L67	39	"701"/\$.ccls. and search\$6 with (tree or index\$10) with (new or updat\$6 or seperat \$5)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L68	31	"701"/\$.ccls. and search\$6 with (new\$3 or updat\$6 or seperat \$5) NEAR5 (tree or index\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L69	26	"701"/\$.ccls. and search\$6 with (new\$3 or updat\$6 or seperat \$5) NEAR3 (tree or index\$10)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52

L70	47	search\$6 NEAR3 (database and updated database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L71	0	both with search\$6 NEAR3 (database and (updated database))	ase and USPAT; FPRS;		ON	2010/02/26 14:52
L72	47	search\$6 NEAR3 (database and (updated database))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L73	0	search\$10 custom POI	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L74	0	search\$10 with custom with (POI or (point of interest))	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L75	2614	search\$10 with custom	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L76	0	search\$10 with custom map data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L77	39	search\$10 with custom data	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L78	184	(search\$6 first database) and (search \$7 second database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L79	0	(search\$6 first database) and (search \$7 second database) and POI	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52

L80	77	(search\$6 first database) and (search \$7 second database) and Navigat\$10	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L81	1	(search\$6 first database) and (search \$7 second database) and Navigat\$10.ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L82	0	(search\$6 first database) and (search \$7 custom database) and Navigat\$10.ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L83	0	(search\$7 custom database) and Navigat \$10.ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L84	2	(search\$7 custom) and Navigat\$10.ab.	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L85	5	after NEAR2 search\$6 with (first database) with (second or other or another or different)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L86	6	after NEAR2 search\$6 with (database) with search\$6 (second or other or another or different)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L87	2730	search\$6 with (two or different or other or another) NEAR3 database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L88	225	search\$6 (two or different or other or another) NEAR3 database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L89	4	search\$6 (two or different or other or another) NEAR3 POI	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52

L90	0	search\$6 (two or different or other or another) NEAR3 POI database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L91	0	search\$6 (two or different or other or another) NEAR3 database and (navigat %6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L92	69	search\$6 (two or different or other or another) database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L93	0	search\$6 different (type or structure) NEAR3 database same (tree and index)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L94	0	search\$6 different (type or structure) NEAR3 database same (tree and index\$6)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L95	О	search\$6 NEAR% (different or (tree and index)) with (type or structure) NEAR3 database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L96	10	search\$6 different (type or structure) NEAR3 database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L97	1	search\$6 different (type or structure) NEAR3 database and (tree and index)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L98	30	search\$6 tree database	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52
L99	3	(search\$6 tree database) and (index database)	US-PGPUB; USPAT; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:52

EAST Search History (Interference)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L100	1768	((tree and index\$6) with search\$6)	USPAT; UPAD	ADJ	ON	2010/02/26 14:52
L101	110	((tree and index\$6) with search\$6) same ((substance data) or (search NEAR2 data))	USPAT; UPAD	ADJ	ON	2010/02/26 14:52
L102	112	((tree and index\$6) with search\$6) same ((substance data) or (search NEAR2 data) or (point of interest) or POI)	USPAT; UPAD	ADJ	ON	2010/02/26 14:52
L103	0	((substance data) with updat\$10) and tree and index\$6 and server and version	USPAT; UPAD	ADJ	ON	2010/02/26 14:52
L104	20	((tree and index\$6) with search\$6) same ((substance data) or (search NEAR2 data) or (point of interest) or POI) and navigation	USPAT; UPAD	ADJ	ON	2010/02/26 14:52
L105	37	((tree and index\$6) with search\$6) same ((substance data) or (search NEAR2 data) or (point of interest) or POI) and navigation	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/02/26 14:52
L106	15	((tree and index\$6) with search\$6) same ((substance data) or (search NEAR2 data) or (point of interest) or POI) and navigation.ab.	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/02/26 14:52
L107	16	((tree and index\$6) with search\$6) same ((substance data) or (search NEAR2 data) or (point of interest) or POI) and (navigation or gps).	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/02/26 14:52

L108	2	(((tree and index\$6) with search\$6) and updat\$10) same ((substance data) or (search NEAR2 data) or (point of interest) or POI) and (navigation or gps).	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/02/26 14:52
L109	0	710/208,209,ccls. and POI	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/02/26 14:52
L110	0	701/208,209,∝ls. and POI	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/02/26 14:52
L111	379	701/208,209.œls. and POI	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/02/26 14:52
L112	52	701/208,209.ccls. and POI with updat \$6	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/02/26 14:52
L113	4	701/208,209.ccls. and POI with updat \$6 and tree and index \$6	US-PGPUB; USPAT; UPAD	ADJ	ON	2010/02/26 14:52

2/26/2010 3:17:10 PM

C:\ Documents and Settings\ yzhao\ My Documents\ EAST\ Workspaces\ 10586534 final.wsp